

AUDAX-Keck GmbH
75365 Calw

Date printed 08.12.2021, Revision 07.12.2021

Version 05. Supersedes version: 04

Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

RENITHERM® PMA 1200 HD

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Fire retardant coating

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company AUDAX-Keck GmbH
Weierstr. 10
75365 Calw / GERMANY
Phone +49 (0)7051 1625-0
Fax +49 (0)7051 1625-52
Homepage www.renitherm.com
E-mail info@renitherm.com

Address enquiries to

Technical information info@renitherm.com
Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Company +49 (0)7051 1625-0 Mo-Fr 8:00 - 16:00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Repr. 2: H361f Suspected of damaging fertility.

2.2 Label elements

Hazard pictograms



Signal word WARNING

Contains: Melamine

Hazard statements H361f Suspected of damaging fertility.

Precautionary statements P201 Obtain special instructions before use.
P260 Do not breathe spray.
P280 Wear protective gloves / protective clothing / eye protection / face protection.
P308+P313 IF exposed or concerned: Get medical advice / attention.
P501 Dispose of contents/container in accordance with local/national regulation.

Special labelling Product treated with preservatives
METHYLCHLOROISOTHIAZOLINONE/METHYLISOTHIAZOLINONE (3:1).

Contains: 2-Methyl-2H-isothiazolin-3-one, Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one. EUH208 May produce an allergic reaction.

2004/42/CE 0 g/l II A i WB One-pack performance coatings (max. 140 g/l)

2.3 Other hazards

Human health dangers Frequent persistent contact with the skin can cause skin irritation.
Contains no ingredients with endocrine-disrupting properties.

Environmental hazards Does not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

AUDAX-Keck GmbH
75365 Calw

Date printed 08.12.2021, Revision 07.12.2021

Version 05. Supersedes version: 04

Page 2 / 13

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
3 - < 10	Melamine CAS: 108-78-1, EINECS/ELINCS: 203-615-4, Reg-No.: 01-2119485947-16-XXXX GHS/CLP: Repr. 2: H361f
< 0,02	2-Bromo-2-nitropropane-1,3-diol CAS: 52-51-7, EINECS/ELINCS: 200-143-0, EU-INDEX: 603-085-00-8 GHS/CLP: Acute Tox. 4: H302 H312 - STOT SE 3: H335 - Skin Irrit. 2: H315 - Eye Dam. 1: H318 - Aquatic Acute 1: H400 - Aquatic Chronic 2: H411, M-Factor (acute): 10
< 0,0015	Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9, EINECS/ELINCS: 611-341-5, EU-INDEX: 613-167-00-5 GHS/CLP: Acute Tox. 3: H301 - Acute Tox. 2: H310 H330 - Skin Corr. 1C: H314 - Eye Dam. 1: H318 - Skin Sens. 1A: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410 - EUH071, M-Factor (acute): 100, M-Factor (chronic): 100 SCL [%]: >=0,0015: Skin Sens. 1A: H317, >=0,6: Eye Dam. 1: H318, >=0,6: Skin Corr. 1C: H314, 0,06 - <0,6: Eye Irrit. 2: H319, 0,06 - <0,6: Skin Irrit. 2: H315

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Get medical advice.
Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions
Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible. Fire extinguishing method of surrounding areas must be considered.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

AUDAX-Keck GmbH
75365 Calw

Date printed 08.12.2021, Revision 07.12.2021

Version 05. Supersedes version: 04

Page 3 / 13

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).

Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

The normal safety precautions for handling chemicals must be observed.

Use only in well-ventilated areas.

Provide suitable vacuuming at the processing area.

Do not eat, drink, smoke or take drugs at work.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Protect from heat/overheating.

Keep in a cool place. Store in a dry place.

7.3 Specific end use(s)

See product use, SECTION 1.2

AUDAX-Keck GmbH
75365 Calw

Date printed 08.12.2021, Revision 07.12.2021

Version 05. Supersedes version: 04

Page 4 / 13

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Titanium dioxide
CAS: 13463-67-7, EINECS/ELINCS: 236-675-5, Reg-No.: 01-2119489379-17-XXXX
Long-term exposure: 4 mg/m ³ , respirable; total inhalable: TWA=10 mg/m ³
Pentaerythritol
CAS: 115-77-5, EINECS/ELINCS: 204-104-9, Reg-No.: 01-2119473985-20-XXXX
Long-term exposure: 10 mg/m ³ , inhalable dust, respirable dust: TWA=4 mg/m ³
Short-term exposure (15-minute): 20 mg/m ³

DNEL

Substance
Melamine, CAS: 108-78-1
Industrial, dermal, Long-term - systemic effects, 11,8 mg/kg
Industrial, inhalative, Long-term - systemic effects, 8,3 mg/m ³
Industrial, inhalative, Acute - systemic effects, 82,3 mg/m ³
Industrial, dermal, Acute - systemic effects, 117 mg/kg
general population, oral, Long-term - systemic effects, 0,42 mg/kg
general population, dermal, Long-term - systemic effects, 4,2 mg/kg
general population, inhalative, Long-term - systemic effects, 1,5 mg/m ³

PNEC

Substance
Melamine, CAS: 108-78-1
sewage treatment plants (STP), 200 mg/L
oral (food), 22 mg/kg
soil, 1,6 mg/kg
sediment (seawater), 0,55 mg/kg
sediment (freshwater), 5,5 mg/kg
seawater, 0,051 mg/L
freshwater, 0,51 mg/L

AUDAX-Keck GmbH
75365 Calw

Date printed 08.12.2021, Revision 07.12.2021

Version 05. Supersedes version: 04

Page 5 / 13

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	0,7mm Butyl rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Protective clothing (EN 340)
Other	Avoid contact with eyes and skin. Do not inhale aerosols. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact during pregnancy/ while nursing.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, filter P2. (DIN EN 143)
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	pasty
Color	white
Odor	characteristic
Odour threshold	not applicable
pH-value	7,7 - 8,7
pH-value [1%]	not determined
Boiling point [°C]	not determined
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/cm³]	1,3 - 1,4 (20 °C / 68,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	miscible
Solubility other solvents	not applicable
Partition coefficient [n-octanol/water]	not determined
Kinematic viscosity	10000 - 14000 mPa.s (20°C)
Relative vapour density	not applicable
Evaporation speed	not applicable
Melting point [°C]	not determined
Auto-ignition temperature	not self-igniting
Decomposition temperature [°C]	not determined
Particle characteristics	not applicable

AUDAX-Keck GmbH
75365 Calw

Date printed 08.12.2021, Revision 07.12.2021

Version 05. Supersedes version: 04

Page 6 / 13

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

not applicable

10.6 Hazardous decomposition products

No hazardous decomposition products known.

AUDAX-Keck GmbH
75365 Calw

Date printed 08.12.2021, Revision 07.12.2021

Version 05. Supersedes version: 04

Page 7 / 13

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product
ATE-mix, oral, > 2000 mg/kg
Substance
Melamine, CAS: 108-78-1
LD50, oral, Rat (male), 3161 mg/kg
LD50, oral, Rat (female), 3828 mg/kg
2-Bromo-2-nitropropane-1,3-diol, CAS: 52-51-7
LD50, oral, Rat, 193 mg/kg
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
LD50, oral, 64 mg/kg (ECHA, CLH Report)
LD50, oral, Rat, 53 mg/kg

Acute dermal toxicity

Product
ATE-mix, dermal, > 2000 mg/kg
Substance
Melamine, CAS: 108-78-1
LD50, dermal, Rat, > 2000 mg/kg
2-Bromo-2-nitropropane-1,3-diol, CAS: 52-51-7
LD50, dermal, Rat, 2000 mg/kg
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
LD50, dermal, Rabbit, 87,12 mg/kg (ECHA, CLH Report)

Acute inhalational toxicity

Product
ATE-mix, inhalativ (mist), > 5 mg/l 4h
Substance
Melamine, CAS: 108-78-1
LC50, inhalative, Rat, 5,19 mg/l, OECD 403, 4h
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
LC50, inhalative, Rat, 0,171 mg/l/4h (ECHA, CLH Report)

Serious eye damage/irritation

Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.

Substance
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
Harmonised classification: Eye Dam. 1 H318

Skin corrosion/irritation

Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.

Substance

AUDAX-Keck GmbH
75365 Calw

Date printed 08.12.2021, Revision 07.12.2021

Version 05. Supersedes version: 04

Page 8 / 13

Melamine, CAS: 108-78-1
Rabbit, OECD 404, non-irritating
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
Harmonised classification: Skin Corr. 1C H314

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.

Substance
Melamine, CAS: 108-78-1
Guinea pig, OECD 406, non-sensitizing
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
Harmonised classification: Skin Sens. 1A H317

Specific target organ toxicity — single exposure Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.

Specific target organ toxicity — repeated exposure Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.

Mutagenicity Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.

Reproduction toxicity Suspected of damaging fertility.
Based on the available information, the classification criteria are fulfilled.
Toxicological data of complete product are not available.
Calculation method

Substance
Melamine, CAS: 108-78-1
NOAEL, 833 mg/kg, OECD 443, positive

Carcinogenicity Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.

Aspiration hazard Does not contain a relevant substance that meets the classification criteria.

General remarks

none

11.2 Information on other hazards

Endocrine disrupting properties Contains no ingredients with endocrine-disrupting properties.

Other information

AUDAX-Keck GmbH
75365 Calw

Date printed 08.12.2021, Revision 07.12.2021

Version 05. Supersedes version: 04

Page 9 / 13

SECTION 12: Ecological information

12.1 Toxicity

Substance
Melamine, CAS: 108-78-1
LC50, (96h), Oncorhynchus kisutch, > 3000 mg/L
EC50, (48h), Daphnia magna, 200 mg/L EPA OPP 72-2
NOEC, (21d), Daphnia magna, \geq 11 mg/L OECD 211
ErC50, (96h), Pseudokirchneriella subcapitata, 325 mg/L PRO/FT Algae-AC090-6
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
LC50, (96h), Oncorhynchus mykiss, 0,19 mg/l
EC50, (48h), Daphnia magna, 0,18 mg/l
ErC50, Skeletonema costatum, 0,003 mg/l

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

Accumulation in organisms is not expected.

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

None known.

AUDAX-Keck GmbH
75365 Calw

Date printed 08.12.2021, Revision 07.12.2021

Version 05. Supersedes version: 04

Page 10 / 13

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the authorities if necessary.
Dispose of as hazardous waste.

Waste no. (recommended) 080119*

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.
Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances
150102

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

AUDAX-Keck GmbH
75365 Calw

Date printed 08.12.2021, Revision 07.12.2021

Version 05. Supersedes version: 04

Page 11 / 13

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- **Observe employment restrictions for people** Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.

- **VOC (2010/75/CE)** 0 %

15.2 Chemical safety assessment

not applicable

AUDAX-Keck GmbH
75365 Calw

Date printed 08.12.2021, Revision 07.12.2021

Version 05. Supersedes version: 04

Page 12 / 13

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H411 Toxic to aquatic life with long lasting effects.
H315 Causes skin irritation.
H335 May cause respiratory irritation.
H302+H312 Harmful if swallowed or in contact with skin.
H361f Suspected of damaging fertility.
EUH071 Corrosive to the respiratory tract.
H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H314 Causes severe skin burns and eye damage.
H310+H330 Fatal in contact with skin or if inhaled.
H301 Toxic if swallowed.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®/STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Repr. 2: H361f Suspected of damaging fertility. (Calculation method)

AUDAX-Keck GmbH
75365 Calw

Date printed 08.12.2021, Revision 07.12.2021

Version 05. Supersedes version: 04

Page 13 / 13

Modified position

SECTION 3 been added: 2-Bromo-2-nitropropane-1,3-diol
SECTION 3 been added: Melamine
SECTION 2 been added: H361f Suspected of damaging fertility.
SECTION 2 been added: WARNING
SECTION 2 been added: health hazard
SECTION 2 been added: Repr. 2
SECTION 2 been added: P260 Do not breathe spray.
SECTION 2 been added: P201 Obtain special instructions before use.
SECTION 2 deleted: EUH210 Safety data sheet available on request.
SECTION 2 been added: P308+P313 IF exposed or concerned: Get medical advice / attention.
SECTION 2 been added: P280 Wear protective gloves / protective clothing / eye protection / face protection.
SECTION 2 been added: P501 Dispose of contents/container in accordance with local/national regulation.
SECTION 5 been added: Risk of formation of toxic pyrolysis products.
SECTION 8 been added: Avoid contact during pregnancy/ while nursing.
SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.
SECTION 13 been added: Dispose of as hazardous waste.
SECTION 15 been added: Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.

Copyright: Chemiebüro®

